

COREtec®

the Original

The essentials



COREtec®
the Original

Tough floor down to the core

The Best way to predict the future is to create it yourself!
COREtec® is an innovative flooring solution that brings
the World at your feet!

La meilleure façon de prédire l'avenir, c'est de le créer.
COREtec® introduit un revêtement innovatif qui vous pose
le Monde à vos pieds.

Der Beste Weg die Zukunft vorherzusagen, ist sie selbst zu gestalten.
COREtec® ist ein innovativer Designboden welcher dir die Welt zu
Füßen legt.

De Beste manier om de toekomst te voorspellen
is die zelf te creëren. COREtec® is een innovatieve
vloerbedekking die de Wereld aan je voeten legt.

La mejor manera de predecir el futuro es crearlo usted mismo!
COREtec® es una solución innovadora para su suelo que pone
el mundo a sus pies!

Il miglior modo di predire il futuro è crearselo!
COREtec® è una soluzione innovativa che mette
il mondo ai tuoi piedi!

BY

US FLOORS®
Manufacturer of Unique and Sustainable Floors



COREtec®
the Original

Contents

- 4 The unique COREtec® system
- 6 Easy installation
- 8 Collection overview
- 10 HD collection
- 20 XL collection
- 32 Wood collection
- 38 Stone collection
- 48 Accessories
- 50 Technical specifications
- 52 Installation

COREtec®
the Original

XL+ 4V-GROOVE
Warwick Oak* / 50-LVP-953

COREtec® The best click & lock Floor ever!

1

CORE

No Expansion



100% Waterproof / 100% résistant à l'eau
100% Wasserfest / 100% Watervast
100% resistente al agua / 100% resistente all'acqua



Will not expand or contract / Extrêmement stable
Extrem stabil / Extreem stabiel
No se expande ni se contrae / Non dilata o restringe



No acclimatization necessary / Pas besoin d'acclimatation
Keine Akklimatisierung benötigt / Geen acclimatisatie nodig
No necesita aclimatación / Non necessita di acclimatazione



Easy to install / Pose facile
Einfache Verlegung / Plaatst eenvoudig
Fácil de instalar / Facile da installare

SOUND
core BY COREtec®



2

CORK

Underlay



Installation on any surface / Compatible toutes surfaces
Sofort auf bestehende Hartböden / Op elke ondergrond
Instalación en cualquier superficie
Può essere installato su ogni superficie esistente



Reduces noise / Silencieux
Schalldämmend / Akoestisch dempend
Reduce el ruido / Riduce il rumore



Suitable for underfloor heating & cooling
Compatible sur sol chauffant & refroidissant
Geeignet für Bodenheizung & Kühlung
Ideaal voor vloerverwarming & koeling
Adecuado para calefacción por suelo radiante y refrigeración
Adatto a riscaldamento a pavimento e raffreddamento

3

DESIGNS

Planks & Tiles



Superior scratch resistance
Résistant aux rayures
Hohe Kratzfestigkeit
Hoge krasweerstand
Alta resistencia a la abrasión
Elevata resistenza ai graffi



Pet proof
Adapté aux animaux domestiques
Geeignet für Haustiere



Electrostatic Performance
Accumulation de charges électrostatiques
Antistatisch / Electrostatiche propenseit
Rendimiento electroestático
Performance elettrostatica

1, 2, Click & lock!

INSTALLATION
on ANY SURFACE

EASY
CLICK & LOCK

4 V-GROOVE

SUPERIOR SCRATCH RESISTANCE

HIGH DEFINITION DESIGN

PLANKS

Sizes / Abmessungen / Tailles / Afmetingen / Tamaños / Misure

 8,00 ↔ 8,50 mm  0,55 mm



HD+
4√-GROOVE

HD

XL+
4√-GROOVE

XL

HD
collection

PAGE 10

XL
collection

PAGE 20



WOOD+
4√-GROOVE

WOOD


WOOD
collection

PAGE 32

TILES

Sizes / Abmessungen / Tailles / Afmetingen / Tamaños / Misure

 8,00 mm  0,55 mm



STONE+
4√-GROOVE

STONE

STONE
collection

PAGE 38





HD
Sparwood Oak* / 50-LVR-9606 / Sleepwise







PLANKS

HD
collection

COREtec[®]
the Original

HD+ collection

COREtec
the Original


 8,50 mm
  0,55 mm
  180 x 1830 mm
 (1,97 m²/box)




HD+ 4V-GROOVE Dusk Contempo Oak*
50-LVR-631



HD+ 4V-GROOVE Greystone Contempo Oak*
50-LVR-634



HD+ 4V-GROOVE Klondike Contempo Oak*
50-LVR-632



HD+ 4V-GROOVE Mont Blanc Driftwood*
50-LVR-652



HD+ 4V-GROOVE Shadow Lake Driftwood*
50-LVR-653



HD+ 4V-GROOVE Vineyard Barrel Driftwood*
50-LVR-651



HD+ 4V-GROOVE Timberland Rustic Pine*
50-LVR-641



HD+ 4V-GROOVE Sherwood Rustic Pine*
50-LVR-643




HD+ 4V-GROOVE
Timberland Rustic Pine* / 50-LVR-641





HD+  V-GROOVE
Dusk Contempo Oak* / 50 LVR631



HD+  V-GROOVE
Vineyard Barrel Driftwood* / 50-LVR-651






HD
Wind River Oak* / 50-LVR-8606



SUPER DETAIL

HD collection

 8,50 mm
  0,55 mm
  180 x 1500 mm
(1,62 m²/box)



HD Banff Oak*
50-LVR-9603



HD Yoho Oak*
50-LVR-9602



HD Royal Gorge Oak*
50-LVR-8603



HD Jasper Oak*
50-LVR-9601




HD Great Northern Oak*
50-LVR-9605



HD Waterton Lakes Oak*
50-LVR-9604



HD Wind River Oak*
50-LVR-8606



HD Sparwood Oak*
50-LVR-9606




HD
Great Northern Oak* / 50-LVR-9605 / Fitness Feel Good Geel



HD
Great Northern Oak* / 50-LVR-9605 / Fitness Feel Good Geel



XL
Muir Oak* / 50-LVP-613



PLANKS


XL
collection

COREtec[®]
the Original



XL+ 4V-GROOVE
Tasman Oak* / 50-LVP-950

XL+ collection

 8,00 mm
  0,55 mm
  228 x 1830 mm
(2,50 m²/box)



XL+ 4V-GROOVE Dobra Oak*
50-LVP-951



XL+ 4V-GROOVE Tasman Oak*
50-LVP-950



XL+ 4V-GROOVE Warwick Oak*
50-LVP-953



XL+ 4V-GROOVE Ellis Oak*
50-LVP-954
multi-color effect



XL+ 4V-GROOVE Unity Oak*
50-LVP-957



XL+ 4V-GROOVE Sava Oak*
50-LVP-956



XL+ 4V-GROOVE Kolia Oak*
50-LVP-955
multi-color effect



4V-GROOVE

Warwick Oak*
50-LVP-953



XL+ 4V-GROOVE
Dobra Oak* / 50-LVP-951



multi-color effect 
XL+ 4V-GROOVE
Ellis Oak* / 50-LVP-954






XL+ 4 **V-GROOVE**
Sava Oak / 50-LVP-956



multi-color effect 
XL+ 4 **V-GROOVE**
Kolia Oak* / 50-LVP-955

XL collection

COREtec
the Original

 8,10 mm  0,55 mm  228 x 1830 mm
(2,50 m²/box)



XL Harbor Oak*
50-LVP-611



XL Gotham Oak*
50-LVP-601



XL Venice Oak*
50-LVP-608



XL Alexandria Oak*
50-LVP-614



XL Muir Oak*
50-LVP-613



XL Walden Ash*
50-LVP-610



XL Whittier Oak*
50-LVP-604



XL Mt. Pleasant Pine*
50-LVP-603



XL
Highlands Oak* / 50-LVP-615 - Mercure Hotel



XL Highlands Oak*
50-LVP-615



XL
Harbor Oak* / 50-LVP-611



XL
Mt. Pleasant Pine* / 50-LVP-603



WOOD+ 4-GROOVE
Rustled Oak* / 50-LVPE-750



PLANKS

WOOD
collection

COREtec®
the Original



WOOD+ 4√-GROOVE
Fallen Oak* / 50-LVPE-752

WOOD+ collection

 8,00 mm
  0,55 mm
  180 x 1220 mm
 (2,20 m²/box)
 4√-GROOVE



WOOD+ 4√-GROOVE

Rustled Oak*
50-LVPE-750



WOOD+ 4√-GROOVE

Enchanted Oak*
50-LVPE-751



WOOD+ 4√-GROOVE

Fallen Oak*
50-LVPE-752




4√-GROOVE

WOOD+ 4√-GROOVE
Enchanted Oak* / 50-LVPE-751


WOOD collection

COREtec
the Original

 8,00 mm
  0,55 mm
 
A 182 x 1220 mm (3,55 m²/box)
 B 127 x 1220 mm (2,48 m²/box)



WOOD **B** Dakota Walnut*
50-LVP-507



WOOD **B** Rocky Mountain Oak*
50-LVP-207



WOOD **B** Corvallis Pine*
50-LVP-506



WOOD **A** Olympic Pine*
50-LVP-709



WOOD **A** Nantucket Oak*
50-LVP-211



WOOD **A** Saginaw Oak*
50-LVP-704




WOOD  **A** Alabaster Oak*
50-LVP-706



WOOD **A** Ivory Coast Oak*
50-LVP-705



multi-color effect  **WOOD**
Blackstone Oak* / 50-LVP-707 - Coffeabar Koekedoze



WOOD  **A** Blackstone Oak*
50-LVP-707



STONE+ 4-V-GROOVE
Ara / 50-LVTE-1851



TILES

STONE
collection

COREtec[®]
the Original

STONE+ collection

 8,00 mm  0,55 mm  457 x 610 mm
(2,23 m²/box)
4 V-GROOVE



STONE+ 4 V-GROOVE Lyra
50-LVTE-1857



STONE+ 4 V-GROOVE Carina
50-LVTE-1852

COREtec
the Original



STONE+ 4 V-GROOVE
Lyra* / 50-LVTE-1857



STONE+ collection



8,00 mm



0,55 mm



457 x 610 mm


(2,23 m²/box)

4√-GROOVE



STONE+ 4√-GROOVE

Ara
50-LVTE-1851



STONE+ 4√-GROOVE

Aquila
50-LVTE-1850



STONE+ 4√-GROOVE

Columba
50-LVTE-1853



STONE+ 4√-GROOVE

Indus
50-LVTE-1856

STONE+ 4√-GROOVE
Columba* / 50-LVTE-1853



STONE+ collection



8,00 mm



0,55 mm




457 x 610 mm
(2,23 m²/box)

4V-GROOVE



STONE+ 4V-GROOVE

Hydra
50-LVTE-1855



STONE+ 4V-GROOVE

Vela
50-LVTE-1854



STONE+ 4V-GROOVE

Mensa
50-LVTE-1858

STONE+ 4V-GROOVE
Hydra / 50-LVTE-1855



4V-GROOVE STONE+
Mensa / 50-LVTE-1858

STONE collection



 8,00 mm  0,55 mm  A 470 x 610 mm (2,87 m²/box)  B 305 x 610 mm (2,98 m²/box)



STONE

Petrified Forest
50-LVT-1801
A



STONE

Weathered Concrete
50-LVT-1803
A



STONE

Ankara Travertine
50-LVT-104
B



STONE

Weathered Concrete / 50-LVT-1803

Skirtings / Plinthes / Sockelleisten / Plinten / Zócalos / Battiscopa

Moldings / Profilés de finition / Profile / Afwerkingsprofielen
Molduras / Profili di finitura



Identical Colors and Pattern / Couleurs et décors identiques
Gleiche Farbe und Design / Identieke kleur en design
Colores y patrones idénticos / Identici colori e finiture



Castle
H: 14cm / L: 200cm 70PSK2000-1




High
H: 10cm / L: 230cm 70PSK2300-3




Design (2pcs)
H: 7cm / L: 240cm 70SK3 9605 X
Matching design Ref.



Cover
H: 10cm / L: 200cm 70PSK2000-2



Middle
H: 6,5cm / L: 230cm 70PSK2300-2



Low
H: 4cm / L: 230cm 70PSK2300-1

EASY **PAINTABLE** / FACILE À PEINDRE
EINFACH **ÜBERSTREICHBAR**
EENVOUDIG **OVERSCHILDERBAAR**
FÁCIL DE **PINTAR**
FACILMENTE **VERNICIABILE**



Reducer / Profile d'adaptation / Reduzier Profil
Reductie profiel / Perfil de adaptación / Profilo soglia
L=240cm / 70R3 9605 X



T-Molding / T-Profil / T-Profil / T-Profil
Perfil de transición T / Profilo dilatazione
L=240cm / 70TM3 9605 X




Quarter Round / Quart de rond / Viertelstab
Kwart rond / Junquillo romo / Quarto di Tondo
L=240cm / 70QR3 9605 X



Stair Cap / Profilé d'escalier / Treppenprofil / Trap-
profil / Mamerlán tapa / Profilo ad L per gradino
L=240cm / 70ST3 9605 X



Stairnose Flush / Nez de marche / Treppenkante
Trapneus / Mamerlán / Profilo toro per gradino
L=240cm / 70SN3 9605 X



Baby Threshold / Profilé de bordure / Endprofil
Eindprofil / Perfil de terminación / Profilo terminale
L=240cm / 70BT3 9605 X

IMPACT RESISTANT / **RÉSISTANT AUX IMPACTS**
STOSSFEST / **STOOTVAST**
RESISTENTE AL IMPACTO
RESISTENTE AGLI URTI

100% WATERPROOF / **100% RÉSISTANT À L'EAU**
100% WASSERFEST / **100% WATERVAST**
100% RESISTENTE AL AGUA
100% RESISTENTE ALL'ACQUA

Technical specs

HD collection


Total thickness / Epaisseur totale
Gesamtstärke / Totale dikte
Espesor total / Spessore totale

8,50 mm
(EN ISO 24346)

Wear layer / Couche d'usure
Nutzschicht / Slijtlaag
Capa de desgaste / Strato di usura

0,55 mm
(EN ISO 24340)

Dimensions / Dimensions
Abmessungen / Afmetingen
Dimensiones / Dimensioni



Per Box / Par Boîte
Pro Karton / Per Doos
Por caja / Per scatola

6 pcs	6 pcs
1,97 m²	1,62 m²
18,4 kg	14 kg

Boxes / pallet


55 **55**

PAGE 10

XL collection

8,00 mm **8,10 mm**
(EN ISO 24346)

0,55 mm
(EN ISO 24340)



6 pcs	6 pcs
2,50 m²	2,50 m²
21 kg	21 kg


40 **36**

PAGE 20

WOOD collection

8,00 mm
(EN ISO 24346)

0,55 mm
(EN ISO 24340)



	A	B
10 pcs	16 pcs	16 pcs
2,20 m²	3,55 m²	2,48 m²
18,5 kg	26,9 kg	20 kg


35 **35** **42**

PAGE 32

STONE collection

8,00 mm
(EN ISO 24346)

0,55 mm
(EN ISO 24340)



	A	B
8 pcs	10 pcs	16 pcs
2,23 m²	2,87 m²	2,98 m²
18,8 kg	23 kg	23,7 kg

32 **40** **42**

PAGE 38

PRODUCT INFORMATION / INFORMATION PRODUIT / PRODUKTDATEN / PRODUCTINFORMATIE / INFORMACIÓN DEL PRODUCTO / INFORMAZIONI SUL PRODOTTO

Level of use | Classe d'usage | Nutzungsklasse | Gebruiksklasse | Clasificación de uso | Classe d'uso
33 - 42 (EN ISO 10874)

Inflammability | Classement feu | Brandverhalten | Brandklasse | Resistencia al fuego | Classe di resistenza al fuoco
B₁-S1 (EN 13501)

Scratch resistance | Résistance aux rayures | Verschleissverhalten | Krasvastheid | Resistencia a la abrasión | Resistenza ai graffi
Class T (EN 660-2)

Squareness and straightness | Rectitude des arrêtes et de l'équerrage | Massstabilität | Rechtheid en rechthoekigheid | Cuadratura y rectitud | Dilatazione
< 0,15mm (EN 24342)

Curling when exposed to heat | Incurvation après exposition à la chaleur | Schüsselung | Krulling onder invloed van warmte | Encorbamiento después de exposición al calor | Incurvamento massimo
< 0,02mm (EN 23999)

Dimensional Stability | Stabilité dimensionnelle | Dimensionsstabilität | Dimensionele stabiliteit | Estabilidad dimensional | Stabilità dimensionale
< 0,02mm (EN 23999)

Electrostatic Performance | Accumulation de charges électrostatiques | Antistatik | Electrostatische propensiteit | Rendimiento electroestático | Performance elettrostatica
< 2 kV (EN1815)

Slip resistance | Glissance | Rutschhemmung | Antislip | Coeficiente de fricción | Coefficiente dinamico di attrito
DS (EN 13893)

Slip restraint | Résistance au glissement | Rutschhemmung | Slipweerstand | Restricción al resbalamiento | Coefficiente di scivolosità
R10 (DIN51130)

Formaldehyde group | Classe formaldehyde | Formaldehyd Klassifizierung | Formaldehydeklasse | Grupo formaldehído | Classe Formaldeide
E1 (EN 717-1)

Acoustic Insulation | Efficacité Acoustique | Trittschallverbesserungsmaß | Kontaktgeluidisolatie | Aislamiento acústico | Isolamento acustico
ΔLw = 19dB (EN 140)

Castor Chair resistance | Résistance aux chaises à roulettes | Stuhlrollenbeanspruchung | Bestand tegen stoelwielen | Resistencia a sillas con ruedas | Prova con sedia a ruote
Pass (EN425)

Light fastness | Résistance à la lumière | Lichtechtheid | Lichtechtheid | Solidez del color a luz artificial | Resistenza alla luce
8 (ISO 105-B02)

Heat insulation | Isolation thermique | Wärmedurchlasswiderstand | Thermische isolatie | Aislamiento térmico | Isolamento al calore
0,1009 (m² K/W) (EN 12667 ISO 8302)

Underfloor heating | Chauffage par le sol | Bodenheizung | Vloerverwarming | Calefacción por suelo radiante | Riscaldamento a pavimento
Suitable | Adapté | Geeignet | Geschikt | Adecuado | Adatto (EN 12524)


Resistance to chemicals | Résistance aux produits chimiques | Chemikalienbeständigkeit | Chemicaliënresistentie
Resistencia a los productos químicos | Resistenza ai prodotti chimici
Very good | Très bon | Sehr gut | Zeer goed | Muy bueno | Molto buono (EN 423)

Residual indentation certified | Poinçonnement rémanent certifié | Eindrückverhalten bescheinigt | Restindruk gecertificeerd
Huella residual | Indentazione residua certificata
0,04 mm (EN ISO 24343-1:2012)



Warranty (year) | Garantie (ans) | Garantie (Jahre) | Garantie (jaar) | Garantía (años) | Garanzia (anni)


Lifetime Residential | 10 Commercial
The warranty covers manufacturing defects and premature wear in the event of normal use.
La garantie couvre les vices de fabrication et l'usure précoce en usage normal.
Die Garantie deckt Herstellungsfehler und vorzeitigem Verschleiß bei normaler Nutzung.
De garantie dekt fabricagefouten en voortijdig afslijten bij normaal gebruik.
La garantía cubre los defectos de fabricación y el desgaste prematuro en caso de uso normal.
La garanzia copre i difetti di produzione e usura prematura in caso di corretto e normale utilizzo.




Installation



1




2




3



4



5



6



7




8



9



10



HD collection

XL collection

WOOD collection

STONE collection

Collection	Reference Nr.	Description	Planks (w x l x h)	m ² /box	planks/box
COREtec® HD	50 LVR 8603	Royal Gorge Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 8606	Wind River Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9601	Jasper Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9602	Yoho Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9603	Banff Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9604	Waterton Lakes Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9605	Great Northern Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD	50 LVR 9606	Sparwood Oak - 180 x 1500 x 8,5 mm	180 x 1500 x 8,5 mm	1,62	6
COREtec® HD+	50 LVR 631	Dusk Contempo Oak - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 632	Klondike Contempo Oak - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 634	Greystone Contempo Oak - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 641	Timberland Rustic Pine - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 643	Sherwood Rustic Pine - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 651	Vineyard Barrel Driftwood - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 652	Mont Blanc Driftwood - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® HD+	50 LVR 653	Shadow Lake Driftwood - 180 x 1830 x 8,5 mm	180 x 1830 x 8,5 mm	1,97	6
COREtec® XL	50 LVP 601	Gotham Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 603	Mt. Pleasant Pine - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 604	Whittier Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 608	Venice Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 610	Walden Ash - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 611	Harbor Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 613	Muir Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 614	Alexandria Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL	50 LVP 615	Highlands Oak - 228 x 1830 x 8,1 mm	228 x 1830 x 8,1 mm	2,50	6
COREtec® XL+	50 LVP 950	Tasman Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 951	Dobra Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 953	Warwick Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 954	Ellis Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 955	Kolia Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 956	Sava Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® XL+	50 LVP 957	Unity Oak - 228 x 1830 x 8,0 mm	228 x 1830 x 8,0 mm	2,50	6
COREtec® WOOD	50 LVP 207	Rocky Mountain Oak - 127 x 1220 x 8 mm	127 x 1220 x 8 mm	2,48	16
COREtec® WOOD	50 LVP 211	Nantucket Oak - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD	50 LVP 506	Corvallis Pine - 127 x 1220 x 8 mm	127 x 1220 x 8 mm	2,48	16
COREtec® WOOD	50 LVP 507	Dakota Walnut - 127 x 1220 x 8 mm	127 x 1220 x 8 mm	2,48	16
COREtec® WOOD	50 LVP 704	Saginaw Oak - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD	50 LVP 705	Ivory Coast Oak - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD	50 LVP 706	Alabaster Oak - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD	50 LVP 707	Blackstone Oak - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD	50 LVP 709	Olympic Pine - 182 x 1220 x 8 mm	182 x 1220 x 8 mm	3,55	16
COREtec® WOOD+	50 LVPE 750	Rustled Oak - 180 x 1220 x 8 mm	180 x 1220 x 8 mm	2,20	10
COREtec® WOOD+	50 LVPE 751	Enchanted Oak - 180 x 1220 x 8 mm	180 x 1220 x 8 mm	2,20	10
COREtec® WOOD+	50 LVPE 752	Fallen Oak - 180 x 1220 x 8 mm	180 x 1220 x 8 mm	2,20	10
COREtec® STONE	50 LVT 104	Ankara Travertine - 305 x 610 x 8 mm	305 x 610 x 8 mm	2,98	16
COREtec® STONE	50 LVT 1801	Petrified Forest - 470 x 610 x 8 mm	470 x 610 x 8 mm	2,87	10
COREtec® STONE	50 LVT 1803	Weathered Concrete - 470 x 610 x 8 mm	470 x 610 x 8 mm	2,87	10
COREtec® STONE+	50 LVTE 1850	Aquila - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1851	Ara - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1852	Carina - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1853	Columba - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1854	Vela - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1855	Hydra - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1856	Indus - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1857	Lyra - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8
COREtec® STONE+	50 LVTE 1858	Mensa - 457 x 610 x 8 mm	457 x 610 x 8 mm	2,23	8



Get inspired
www.coretecfloors.eu

XL
Muir Oak* / 50-LVP-613



BY



A DIVISION OF

